

VANTAGE RED XL MMA/MIG-MAG/TIG HELMET



- Automatic helmet-for industrial use Telwin Vantage Red-XL suitable for all types of MMA, MIG-MAG and TIG(>2A) welding. Optical class-1/1/1/2. Solar cell operation.
- Even better protection and vision: darkening adjustment (DIN 4/5 ÷ 9/9÷13).-XL viewing area (100x67mm). Dual scale of darkening adjustment. In addition to adjusting the sensitivity of the filter according to the welding process, there is also an adjustment of the delay time for switching from the dark to the light state after the arc has been interrupted, depending on the brightness of the workpiece. 4 sensors-for faster reaction.
- Vision quality for safe work without interruptions: The LCD liquid crystal filter automatically darkens on striking the welding arc and quickly returns to its transparent status when the arc is switched off; eliminating the need to lift and lower the helmet on each work break and thereby allowing the operator to work with hands free.-
- Vivid colours: True Color technology enables work with more realistic colour vision, with clearer contrasts and greater definition of the image for more precise welding and less eye fatigue.
- "GRIND" mode (grinding): blocks darkening of the mask to carry out protected grinding operations in total safety.
- Comfortable use: light and comfortable, it is fitted with a headgear adjustment system for perfect fit and protection.

DESCRIPTION

Automatic helmet mask ideal for MMA, MIG-MAG and TIG welding with external darkening adjustment (DIN 4/5 ÷ 9/9÷13). The LCD liquid crystal filter automatically darkens on striking the welding arc and quickly returns to its transparent status when the arc is switched off; eliminating the need to lift and lower the helmet on each work break and thereby allowing the operator to work with hands free.

The True Color Technology allows the realistic color perception also during welding operations.

In addition to adjusting the sensitivity of the filter according to the welding process, there is also an adjustment of the delay time for switching from the dark to the light status after the arc has been interrupted, depending on the brightness of the workpiece.

Features:

- adjustable automatic darkening filter,
- True Color Technology;
- dual scale of darkening adjustment;
- XL viewing area;
- 4 sensors;
- sensitivity adjustment and dark-light delay;
- TIG >2 A;
- grinding mode;
- solar cell operation;
- light and comfortable.

OPTIONAL:







external glass protection 134x114mm 2 pcs cod.802939

internal glass protection 69,5x103,5mm- 2 pcs cod.802949

Sweatband 2 pcs cod.804099.



TECHNICAL DATA

CODE	CODE 802936	TIG	Helmet for TIG >2A	MIG MAG	Helmet for MIG-MAG *
MMA	Helmet for MMA *	DIN	Luminous state 4 DIN		Stato variabile 5-9/9-13 DIN
	Switching time light-dark 0,1 ms		Delay from dark light.state 0,1-1 s	CLASS	Optic class 1/1/1/2
T^{°C}	Operating temper.(min-max) -5 - 55 °C	SENSORS	SENSORI 4 NR		Area visione 100x67 mm
	WEIGHT 0,52 kg	BAR CODE	BAR CODE 800489796693 9		T03741 TRUE COLOR

ON REQUEST ACCESSORIES

MAGNIFYING LENS 1.5X 107,4x50,5MM
804406

MAGNIFYING LENS 2.0X 107,4x50,5MM
804407

MAGNIFYING LENS 2.5X 107,4x50,5MM
804408



EXTERNAL GLASS PROTECTION
114X134MM 2 PCS
802939



INTERNAL GLASS PROTECTION
69.5X103.5MM 2 PCS
802949

WELDING HELMET SWEATBAND
804099

DOWNLOAD



CATALOG IMAGE



INSTRUCTION MANUAL